


DRIVEWAY WITH CURB RETURNS

DW NO.	DRIVEWAY REFERENCE POINT		WIDTH OF DRIVEWAY (W1)	ROADWAY GUTTER SLOPE	TRANSITION LENGTH		DRIVEWAY SLOPE
	STATION	OFFSET			LEFT SIDE	RIGHT SIDE	
--	--	--	--	--	--	--	--

NOTES:
HSL HIGH SIDE TRANSITION LENGTH, SEE M/E 107.9.0
W SIDEWALK WIDTH
* CONSTRUCTION TOLERANCE ±0.5%
SEE MHD CONSTRUCTION STANDARD M/E 107.8.0




WHEELCHAIR RAMP FOR ONE CONTINUOUS

DIRECTION OF PEDESTRIAN TRAVEL

WCR #	RAMP REFERENCE POINT		ROADWAY GUTTER SLOPE	LENGTH OF RAMP (W1)
	STATION	OFFSET		
--	--	--	--	--


NOTES:
* CONSTRUCTION TOLERANCE ± 0.5%
** SEE CONSTRUCTION STANDARD M/E 107.9.0
SEE CONSTRUCTION STANDARD M/E 107.6.0



WHEELCHAIR RAMP
GREATER THAN 3.75 m SIDEWALK

WCR NO.	RAMP REFERENCE POINT		ROADWAY GUTTER SLOPE	TRANSITION LENGTH**	
	STATION	OFFSET		LEFT SIDE	RIGHT SIDE
--	--	--	--	--	--

NOTES:
* CONSTRUCTION TOLERANCE ± 0.5%
** SEE CONSTRUCTION STANDARD M/E 107.9.0
SEE CONSTRUCTION STANDARD M/E 107.3.0



"T" INTERSECTION WHEELCHAIR RAMP

WCR #	RAMP REFERENCE POINT		ROADWAY GUTTER SLOPE	LENGTH OF RAMP (W1)	LENGTH OF RAMP (W2)
	STATION	OFFSET			
--	--	--	--	--	--

NOTES:
* CONSTRUCTION TOLERANCE ± 0.5%
** SEE CONSTRUCTION STANDARD M/E 107.9.0
SEE CONSTRUCTION STANDARD M/E 107.6.4