



KIMBERLEY DRISCOLL  
MAYOR

**CITY OF SALEM, MASSACHUSETTS**  
**DEPARTMENT OF OPEN SPACE**  
*Cemetery – Shade Tree – Open Space*

57 ORNE STREET  
SALEM, MASSACHUSETTS 01970

TELEPHONE: 978-745-0195  
FAX: 978-741-7041

RICHARD N. RENNARD, JR. M.C.A.  
TREE WARDEN

**Public Shade Tree Removal Hearing**

Date: Monday, February 29, 2016

Time: 6:00pm

Location: 120 Washington Street, 3<sup>rd</sup> Floor  
Small Conference Room

Subject: 12 Tree Removals

Tree Location: 57 Canal St., 219 Washington St., 76 Lafayette St., 136  
Derby St., 24 Fort Ave., 29 New Derby St., 32 New Derby  
St.

Tree Species: Maple, Dogwood, Honey Locust, Oak, Shrub

*Ronald McLeod*  
Assist. Director of Public Services

Richard N. Rennard, Jr.  
Tree Warden

“ Know Your Rights Under the Open Meeting Law M.G.L.c.30A §§18-25 and  
City Ordinance Sections 2-2028 through 2-2033. “

This notice posted on “Official Bulletin Board”  
City Hall, Salem, Mass. on FEB 23 2016  
at 9:28 AM in accordance with MGL Chap. 30A,  
Sections 18-25.

FILE #  
CITY CLERK, SALEM, MASS.  
2016 FEB 23 A 9:28

City of Salem, Massachusetts

Tree Warden

NOTICE OF PUBLIC HEARING

2016 FEB 23 A 9:28

FILE #  
CITY CLERK, SALEM, MASS.

In accordance with Massachusetts General Laws, Chapter 87, Section 3 (Public Shade Trees), a public hearing will be held by the City of Salem Tree Warden regarding the proposed removal, trimming and/or cutting of certain public shade trees by New England Power Company d/b/a National Grid (the "Company") in conjunction with the construction and installation of two 115 kV underground transmission lines known as the Salem Cables Project (the "Project").

The trees in front of the following properties may have roots disturbed and/or be cut, trimmed and/or removed or not be affected at all by the Project: 57 Canal Street (1 Maple); 219 Washington Street (1 Shrub); 76 Lafayette Street (5 Oak); 136 Derby Street (1 Dogwood); 24 Fort Avenue (2 Honey Locust); 29 New Derby Street (2 Oak); 32 New Derby Street (1 Oak).

The affected trees range in trunk size from approximately 2.1 inches diameter breast height (dbh) to 20 inches dbh, and generally range in height from approximately 4 feet to 45 feet.

The Project has been reviewed by the Energy Facilities Siting Board and the City of Salem. In the event that a public shade tree must be removed, the Company has agreed to plant replacement trees in accordance with Salem's tree replacement policies. The replacement trees will be planted in the vicinity of each removed tree in locations to be determined by the Tree Warden.

The Public Hearing will be held on **February 29, 2016 at 6:00 P.M.** at 120 Washington Street, 3rd Floor, Conference Room in Salem, Massachusetts. Any person interested or wishing to be heard on this matter should appear at the time and place designated.

City of Salem, Massachusetts  
Richard Rennard, Tree Warden MCA1071

" Know Your Rights Under the Open Meeting Law M.G.L. c.30A §§18-25 and City Ordinance Sections 2-2028 through 2-2033. "

  
Assistant Director